

World Leader in Swaging Technology Since 1975

CORBIN Swage any bullet you want!

Dual-diameter Airgun Pellets

Winged Shotgun Slugs

World-class Target 50 BMG

Bonded Core Big Game

Ultra Low Drag Benchrest

Any Weight, any Shape

Hollow point, hollow base

Wadcutter, Semi-Wadcutter

Rebated Boattail Base

Flat, Dish, Hollow or Heel base

Paper patched Blackpowder

Precision Round Ball

Hollow Base Minie-style

Sub-cals Down to 0.10 Caliber

Big Bores up to 1 inch (25mm)

Lead, Jacketed, or Powder Metal

Paper Patched or Gas Checked

Dip or Spray Lubed

Multi-Part Slug Gun

... Swage any
caliber, weight,
shape or style
instantly!

May 2018

Free Bullet Design Info
www.Corbins.com

Shop On-Line
www.SwageDies.com

Why wait?

CORBIN Mfg.
PO Box 2659
White City, OR 97503
Phone: (541)-826-5211
Fax: (541)-826-8669
www.Corbins.com
Sales@Corbins.com

Free Info: www.Corbins.com Questions? e-mail: Sales@Corbins.com

Hydro-Press™

Swage .17 cal. to 25mm bullets and reload up to 20mm, draw precision jackets and extrude lead wire. Make lead-free powder

metal bullets. The rugged Hydro-Press is the heart of custom bullet firms and ballistic labs around the world.

CHP-1 press

Uses Type -H Dies



Swaging (sounds like paging) is forming bullets with high pressure instead of heat.

- You don't have to melt lead.

There are no fumes, no burns, and very little prep or clean up afterward. You cut a piece of lead wire, drop it in the die, and pull the handle!

- Swaging gives you...

...More time to shoot, because it is so fast.

...Ultra high precision (up to 100 times rounder).

...Amazing weight control.

...Adjustable weight: one die = 1000+ moulds!

...Power to draw high precision jackets at home.

...Power to make lead-free powder metal bullets.

- Corbin will help you get started!

Check out our websites for procedures and price!

Send a drawing, sample, or description of the bullet for a quote to get exactly the right tools.

Mega-Mite™

Triple Stroke Leverage

Swage .10 cal to 25mm bullets and reload up to 50 BMG, using this powerful Roller Bearing Reloading and Swaging Press.

Roller side-bar handle standard (shown). Long handle option

Mounts to your bench, or self-supporting floor stand option.

Bearing-guided ram, unequalled precision alignment.

Aprox. 70 lbs (31.8 kg) of rigid, precision strength.

New! All-steel base, frame and head with replaceable components and bearings for lifetime accuracy.

Strongest, most powerful hand press capable of reloading 50 BMG

FREE reloading adapters, accepts 7/8-14 or 1.5-12 reloading dies and Corbin -H type swage dies (same as Hydro-Press).



S-Press™


Dual-Stroke Leverage

Swage .10 to .458 bullets, draw jackets from 1 x .03 strip and reload with this Roller Bearing Benchrest Quality

CSP-1 Press

Uses Type -S Dies

Comes with reloading adapter, accepts 7/8-14 reloading dies and Corbin -S type 5/8-24 thread swage dies. Standard or long handle option.



CSP-2 Press

Engineered for heavy use and long term accuracy: used by R&D labs around the world for cutting-edge bullet design.



PO Box 2659, White City, OR 97503 www.Corbins.com
 Phone: (541)-826-5211 9am-6pm Mon-Thurs. Fax: (541)-826-8669

Shop on-line at www.Corbins.com "secure shopping cart" E-mail: Sales@Corbins.com Download FREE Info!


Bullet samples...

Just a few of the designs you can swage...



SWC shouldered bullets made in one stroke with the LSWC-1 die, including paper patch blackpowder bullets, airgun pellets, lead pistol bullets, and Foster-style shotgun slugs.

Smooth ogive bullets made in a 3-die set (FJFB-3), including lead or jacketed rifle and pistol bullets




Rebated boattails offer up to 40% higher BC than flat base, up to 15% tighter groups than regular boattails. Lead tip RBTs made in 5-die set (RBTL-5). ULD-TIP or Pin-Point style for High BC using Corbin metal tip inserts.

Long range shotgun slugs made with the Corbin Hydro-Press™
 Call, fax, or e-mail for a complete package quote: swage your ideal bullet!



Corbin Sim-Test™ Ballistic Test Media

Test your bullets in the same professional, reusable media we provide to military and forensic labs. Economical: just melt it and recast, over and over again.
 ST-6 carton of 6 blocks
 ST-1 sample size 7 x 11 x 3 in



1.3gm/cc

Make Free 224 or 243 Bullets!

Use fired .22LR cases, scrap lead and your standard reloading press. Everything you need is in the kit. Also available for 6mm. High quality target and varmint bullets, easy on the bore, excellent accuracy!
 KIT-224R... 224 (5.56mm)
 KIT-6MMR... 243 caliber



PCM-2 Cannelure Machine
 Put cannelures on bullets as fast as you can feed them (up to 30 per minute). Used by major bullet makers in their production lines, in military R&D labs, and by custom bullet makers.



HCT-1

Hand Cannelure Tool



Put factory knurled grooves on jacketed bullets, precisely at the depth and position you set. The HCT-2 knurls lead bullets with a diamond pattern. The HCT-3 puts multiple lube grooves on lead bullets. For .17 to .72 caliber (self-adjusting).



LW-10 Lead Wire

Pure lead wire from .10 to .430 diameter, with 10% off for cartons of four of the same size. Use lead wire instead of melting lead, for safety, speed, and precision.



CSL-2 Corbin Swage Lube

World's best lubricant for drawing, swaging, extruding lead wire. Clean, water soluble. Required for all swaging and drawing operations, but also great for reloading!



Corbin Instant Calculators

on CD-ROM or USB drive. Makes designing bullets, lead wire extruders, hydraulic presses, and determining your commercial bullet pricing easy. Economical and simple to use.



Corbin Print Editions & E-Books

on CD-ROM or USB drive. Take them along with your laptop, turn long waits in airports into exciting opportunities to learn new ideas!



Corbin High Performance Bullet Jackets

High precision drawn jackets to make world-class rifle and handgun bullets, available in packages of 250 or 500. Redraw to special sizes and lengths with Corbin jacket draw and trim dies. Or draw your own from strip or tubing with Corbin Jacket Maker kits!



CORBIN Bullet Making Supplies

Corbin Chemical Products:

CSL-2	Corbin Swage Lube, 2-oz.....	\$ 8.00
CSL-16	Corbin Swage Lube, 16-oz.....	35.00
(required lubrication for swaging/drawing processes)		
CBC-4	Corbin Bore Cleaner, 4-oz.....	8.00
CBC-16	Corbin Bore Cleaner, 16-oz.....	29.00
CBC-128	Corbin Bore Cleaner, 128-oz (1 gal).....	215.00
(Benchmark quality bore cleaner gets lead, copper out)		
CCB-2	Corbin Core Bond, 2-oz.....	8.00
CCB-16	Corbin Core Bond, 16-oz.....	35.00
(Make bonded core bullets that do not separate!)		
CBL-4	Corbin Bore Lap, 4-oz.....	8.00
CBL-16	Corbin Bore Lap, 16-oz.....	29.00
CBL-128	Corbin Bore Lap, 128-oz (1 gal).....	215.00
(Easy Barrel lapping method with instructions)		
CCS-16	Corbin Cleaning Solvent, 16-oz.....	25.00
FSO-16	Corbin Gun Oil (5-Star ISO-10), 16-oz.....	25.00
JDL-16	Jacket Drawing Lubricant, 16-oz.....	35.00
MSL-11	Moly Spray Lube, spray-on dry bullet lube ..	22.00

Copper Strip deep-drawing quality for bullet jackets

CU-5	Copper strip, 5-lb bundle 1-in X .030.....	\$85.00
CU30-625	Copper strip, 50-lb 5/8-in x .030.....	759.00
CU30-750	Copper strip, 50-lb 3/4-in x .030.....	759.00
CU30-100	Copper strip, 50-lb 1-in X .030.....	759.00
CU30-125	Copper strip, 50-lb 1.25-in x .030.....	798.00
CU50-125	Copper strip, 50-lb 1.25-in x .050.....	798.00
CU93-140	Copper strip, 50-lb 1.4-in X .093.....	798.00

Copper Tubing for making high performance jackets

	Diam.	Wall	3-ft. sect.	60-ft pkg.
TU-1/4	.250-in	.028	\$8.00	160.00
TU-5/16	.313-in	.035	9.00	180.00
TU-3/8	.375-in	.035	10.00	200.00
TU-7/16	.4375-in	.035	12.00	240.00
TU-1/2	.500-in	.035	13.00	260.00
TU-5/8	.625-in	.035	15.00	300.00


Powdered Metal Bullet Materials:

CUP-8	Atomized copper, 3,500 gr. (8-oz).....	8.00
CUP-64	Atomized copper, 28,000 gr. (4lb).....	59.50

High BC (low drag) CNC-machined Tip Inserts

TIP-30-5	ULD Tips, .284-.338 cal, pkg/500.....	95.00
TIP-45-5	PIN-POINT™ Tips, .375-.510 cal, pkg/500.....	105.00
TIP-50-5	ULD Tips, .338-.510 cal, pkg/500.....	110.00

For use with PF-1-ST or PF-1-HT dies. Add to any existing die set to make long range, high BC bullets. Use PIN-POINT™ inserts, with 25-deg. tip angle, for shorter jacketed or lead bullets, muzzle loader slugs and air gun pellets.



Use Corbin Bullet Balls™ to shift the balance, make ultra light bullets, as expander tips, or position the core closer to the jacket mouth instead of using a shorter jacket.



Precision Bullet Jackets:

J-22-705	.224 cal X .705 len., per 500 (VB™).....	58.00
J-22-70b	.224 cal X .705 len, box of 4500 (VB™).....	510.00
J-22-70c	.224 cal X .705 len, ctn. of 9000 (VB™).....	925.00
J-22-800	.224 cal X .800 len, per 500.....	58.00
J-22-80b	.224 cal X .800 len, box of 4500.....	510.00
J-22-80c	.224 cal X .800 len, ctn. of 9000.....	925.00
J-6M-102	.243 cal X 1.02 len., per 250 (VB™).....	58.00
J-6M-10b	.243 cal X 1.02 len., box of 2500 (VB™)....	560.00
J-26-940	.264 cal X .940 len., per 250.....	54.00
J-26-125	.264 cal X 1.250 len., per 250.....	58.00
J-30-115	.308 cal X 1.15 len., per 250.....	58.00
J-30-11b	.308 cal X 1.15 len., box of 1500.....	335.00
J-30-11c	.308 cal X 1.15 len., ctn. of 6500.....	1400.00
J-30-125	.308 cal X 1.25 len., per 250 (VB™).....	58.00
J-30-12b	.308 cal X 1.25 len, box of 1300 (VB™).....	290.00
J-30-12c	.308 cal X 1.25 len, ctn. of 6500 (VB™)....	1400.00
J-38-442	9mm/38 cal X .442 len., per 500.....	58.00
J-38-500	9mm/38 cal X .500 len., per 500.....	58.00
J-40-650	.40 cal X .650 len., per 250.....	54.00
J-40-143	.405/.408 cal x 1.43 len., per 250.....	68.00
J-45-540	.45 cal X .540 len., per 250.....	54.00
J-45-680	.45 cal x .680 len., per 250.....	54.00
J-50-177	.510 cal x 1.770 len, per 100.....	54.00
J-70-130	.700 cal x 1.300 len, per 100.....	54.00

Base Guards™ No lube w/soft lead bullets, up to 1400 fps

JBG-30	30-32 caliber, per 1000.....	\$35.00
JBG-38	9mm-35 caliber, per 1000.....	38.00
JBG-40	40-41 caliber, per 1000.....	42.00
JBG-44	429-444 caliber, per 1000.....	42.00
JBG-45	451-458 caliber, per 1000.....	42.00

Lead Wire

LW-10	Pure Lead Wire, 70,000 gr. spools, specify .125, .170, .185, .218, .247, .275, .312, .340, .365, .390., .430 in. diam.....	50.00
LW-40	Carton, 4 same-diam. spools, save 10%...	180.00
LW-10S	Special 0.100 inch diameter wire.....	55.00
LW-40S	Carton of 4 spools, 0.100 inch wire.....	198.00

Sim-Test™ Reusable Ballistic test media

ST-1	Sim-Test™ ballistic media, 1 block.....	\$79.00
ST-6	Sim-Test™ ballistic media, carton of 6.....	289.00

Melts at 140-deg F, water soluble, 1.2gm/cc density: simulates tissue. Use at room temperature. Lasts up to 5 yrs.

Bullet Balls™ For Ultra-light core, tip protector, balance shifter

BB-1/8	White, tips for 22-277 cal, per 1000.....	\$25.00
BB-3/16	Green, filler in 22-6mm, tips to 284.....	30.00
BB-1/4	Yellow, filler in 7-8mm, tip for 38-9mm.....	35.00
BB-5/16	Blue, filler in 38-9mm, tip for 40-45.....	40.00
BB-3/8	Red, filler in 40-45 cal, tip for 458-up.....	45.00

CORBIN Tools, Accessories, and -R type dies

Lead Core-making equipment

CM-4A	4-cavity core mould, select core size: .185, .218, .247, .312, .340, .365 .390, .430, .489 diam.	\$169.00
PCS-1	Precision core cutter, select core size: 100, 125, 185, 218, 247, 312, 340, 365	69.50
PCS-1D	Die inserts for PCS-1, per pair	8.00
PCS-2	Magnum core cutter, select core size: 185, 218, 247, 312, 340, 365, 390, 430	98.00
PCS-2D	Additional standard inserts for PCS-2	20.00
PCS-2DC	Custom size inserts for PCS-2, per pair	45.00
LED-1-H	Lead Wire Extruder Kit, for CHP-1	498.00
LED-1D	Additional Die Insert for LED-1	25.00
BMT-1	Billet Mould Tube (spare, for LED-1-H)	10.00
BMT-B	Billet Mould Tube support base (spare)	25.00
LED-2-S	Lead Wire Extruder for .14-.20, CSP-1	298.00
LED-2D	Additional die insert for LED-2-S	20.00

Cannelure and knurling tools

HCT-1	Hand Cannelure Tool (22-72 jacketed)	\$179.00
HCT-1W	Spare .05" wide std. cannellure wheel	35.00
HCT-2	Lead Bullet Knurling Tool (22-72 cal)	179.00
HCT-2W	Set of knurling rollers and wheel	85.00
HCT-2WH	Set of hard knurling rollers, wheel, axels	250.00
HCT-2HC	Knurling tool with hardened rollers	350.00
HCT-3	Lead Bullet 2-Groove Tool (32-72 cal)	179.00
HCT-3W	Spare dual groove wheel	35.00
PCM-2	Power Cannelure Machine w/wheel	699.00
PCM-W	Standard cannellure or knurling wheel	75.00
PCM-WC	Custom cannellure or knurling wheel	150.00
PCM-S	Height spacer kit, .025 & .048" (5-pcs)	10.00
PCM-P	Standard Back plate for PCM-1 (spare)	95.00
PCM-PC	Custom Back plate for PCM-1	189.00
PCM-F	Feeding Guide, standard calibers	189.00

Powder Metal Funnel System

FUNNEL-H	Funnel & punch for -H die	\$125.00
FUNNEL-S	Funnel & punch for -S die	125.00
FUNNEL	Powder metal funnel less punch	75.00
PUNCH-SF	Punch for CS-1-S die, extra long	50.00
PUNCH-HF	Punch for CS-1-H die, extra long	50.00

Heat Treatment Equipment & Supplies

HTO-2	Heat Treatment Oven, 115v. electronic ...	\$1950.00
HTC-1	Heat Treatment Compound, coating	45.00
BL-1	Ceramic heat -treatment block	12.00
BL-KIT	2 BL-1 blocks, template, instructions	22.50
BL-10	Carton of 10 BL-1 heat treatment blocks	99.50

Reloading Press Base Guard™, Trim Dies

ET-2-R	Jacket trimming die, specify cal.	\$249.00
BGK-1-R	Base Guard™ Kit (make Base Guards)	249.00



See supply page for Base Guards™



-R type dies fit standard re-loading presses having a T-slot ram and 7/8-14 head.

For more versatility, speed, and wide range of calibers, select -S or -H type dies, which fit Corbin's swaging presses.

Jacketed rifle dies, complete kits

Corbin TYPE -R dies fit into a standard 7/8"-14 tpi reloading press head; the external punch fits into a standard RCBS-style shell holder slot in the ram. Not for use on light duty turret presses, or those using mechanical shell holders.

BSD-224R	2-die set (PF, CS), .224 cal 6-S ogive	\$487.00
BSD-243R	2-die set (PF, CS), 6mm 6-S ogive	487.00
	Consists of the first two of these dies:	
PF-1-R	Point Forming Die	269.00
CS-1-R	Core Seating Die	218.00
LT-1-R	Lead Tip Shaping Die	218.00
CSW-1-R	Core Swage Die, .224	218.00
PUNCH-R	Standard punch, specify purpose	75.00
EJECT-R	Ejection wires, pk/5, .081	10.00
SPRING-R	Ejection pin spring, for PF-1-R die	3.50
KIT-224R	Make free .224 bullets from fired .22 cases & scrap lead: BSD-2-R dies, core mould, lube, jacket maker, instructions	843.00
KIT-243R	Same as above but with 6mm dies	843.00

Pro-Swage™ blackpowder, airgun, pistol dies

PRO-1-R	Paper patch, lead, gas check, BG, HB, or 3/4-jacketed rifle and pistol bullets. Calibers from .251 to .58, vast range of adj. weight. Specify caliber, shape.	\$ 289.00
PUNCH-RP	Punch, specify int. or ext., shape, cal	75.00
PUNCH-RW	Weight-adjusting punch, specify cal	75.00
PRO-KIT	Pro-Swage Kit with Pro-swage™ die, wt.adj. punch, core mold, lube	516.00

Reloading Press Draw Dies

RFJM-22R	Rimfire Jacket-Maker, turns fired .22 cases into FREE .224 jackets.	\$179.00
RFJM-ROD	Replacement 224 rod for jacket maker	6.00
RFJM-6MR	Rimfire jacket-Maker for 243 caliber	179.00
RFJM-KO	Knock-out rod for 243 jacketmaker	6.00
RFJM-P-R	Specify .224 or 6mm RFJM (spare) punch ...	50.00
SPJM-25R	Shotgun Primer Jacket-Maker, makes .25 ACP jackets from shotgun primers	179.00
JRD-1-R	Jacket Reducing Die	179.00
JRD-1-RP	Punch, for JRD-1-R	50.00
BRD-1-R	Bullet Reducing Die ...	179.00
BRD-1-RC	with boattail punch	219.00

Bullet reducing dies work best when reduction is kept under .006 inches. Example: .323 to .318, or .357 to .351





S-Press™ and -S dies

S-Press

CSP-1 S-Press™ with punch holder \$739.00

S-Press Accessories and Spare Parts

CSP-1A Hardened arbor anvil set (ram & head) 69.50
 CSP-1C Clip assembly, automatic handle retainer 19.50
 CSP-1LH Extra long handle for CSP-1 press 79.50
 CSP-1P Ram to toggle link pin, standard 10.00
 CSP-1R Spare Reloading Adapter (for ram) 49.00
 CSP-S Floor Stand for CSP-1 and CSP-2 498.00
 CSP-1T Primer Catcher Tray, fits ram top 15.00
 CSP-1-HP Head plate, 7/8-14 threads 89.00
 CSP-1-HC Head plate, custom threads 249.00
 STOPPIN1 Spare Stop Pin (short, older slotted punch) ... 7.50
 STOPPIN2 Spare Stop Pin (long, new thru-hole punch) .. 7.50
 FPH-1-S Spare Floating Punch Holder 59.00
 FPH-1HEX Hex-head punch retainer bushing 10.00
 FPH-QC-S Quick-change floating punch holder 129.00
 LOCKR-S Lock-ring, 7/8-14 9.50
 WH-ADAPT Ram adapter, -S dies to Walnut Hill press .. 98.00
 WH-EJECT Ejector, PF, for WH press (specify diam) 70.00
 WH-KIT Above 2 items plus punch holder 227.00

Type -S Complete Sets of Dies

LSWC-1-S Lead SWC bullets, standard 199.00
 Custom nose or base shape, add 70.00
 JSWC-2-S Jacketed or lead SWC bullets, std. 398.00
 FJFB-3-S Flat base open tip 647.00
 LTFB-4-S Flat base lead tip or open tip 846.00
 RBTO-4-S Rebated boattail (RBT) open tip 946.00
 RBTO-4ST Four die set for high BC for metal tips 1016.00
 RBTL-5-S RBT lead tip or open tip 1145.00
 FRBO-5-S RBT or flat base, open tip 1145.00
 FRBL-6-S RBT or flat base, open or lead tip 1344.00
 KIT-224S Complete kit with press, 224 rf jacket 1742.00

Type -S Swage Dies

CSW-1-S Core Swage Die and Punch, standard \$199.00
 CS-1-S Core Seating Die and Punch, standard. 199.00
 PF-1-S Point Form Die and Punch, standard 249.00
 PF-1-SL Point Form Die, lead tip/sync ejector 319.00
 PF-1-ST Tip Seater/Point Former w/2 ejectors 439.00
 PF-1-SB Bleed/PF combo die w/sync ejector 489.00
 PF-1-SP HB-HP Pellet Swage w/bleed holes 489.00
 PF-1-SC Custom Point Former 559.00
 LT-1-S Lead Tip Forming Die and Punch 199.00
 LT-1-SC Jacket tip reducer/lead tip die set 249.00
 RBT-2-S RBT Add-on Set, standard 498.00
 RBT-2-SC RBT Add-on Set, custom shape 718.00



Type -S Rimfire Jacket Makers

RFJM-22S Rimfire Jacket Maker, 22LR to 224 179.00
 RFJM-24S Rimfire Jacket Maker, 22LR to 243 179.00
 RFJM-P-S External punch RFJM, 224 or 243 (specify) . 50.00
 RFJM-ROD Replacement 224 RFJM screw-in rod 6.00

Type -S Jacket Reducing Dies

JRD-1-S Jacket Drawing Die, diameter reducer 179.00
 JRD-1-SP Punch for JRD-1 (specify size) 50.00
 JRD-2-S Jacket Drawing Die, wall-thinning 448.00
 JRD-2-SK Punch, alignment guide, stripper kit 303.00
 JRD-2-SP Punch only, for JRD-2-S 120.00
 JSP-S Jacket stripper plate, (specify size) 25.00

Type -S Ball Swage, Bullet Fixer

BSK-1-S Round Ball Swage Set, .22 to .458 750.00
 BSK-1-SD Ball swage only, no pre-form die 551.00
 FX-1-S Bullet reform/repair kit .224-.458 528.00
 FX-1-SC As above, for calibers .120-.220 619.00

Type -S Punches

PUNCH-S Punch for any -S die (stock shapes) 50.00
 PUNCH-ST Tip seat ejector, T1 or T2, ULD or PinPoint . 50.00
 PUNCH-SI Insert rod for above, specify type 35.00
 PUNCH-SA Adjustable length punch, .375 and less 149.00
 PUNCH-SL Adjustable length punch, over .375 229.00
 PUNCH-SF Custom shapes made to order, min chg. ... 120.00
 PUNCH-SX Long powder funnel core seat punch 50.00
 PUNCH-SX X-cut cruciform core seat punch 120.00
 PUNCH-SS Saber tooth core seat punch 229.00
 EJECT-S Replacement ejection pin wires, pkg/5 10.00

Type -S Jacket Serrators

SDD-1-S Jacket serrator, full length 269.00
 SDD-2-S Ogive serrator, adjustable length 318.00

Type -S Dual Diameter Sizers

DDS-1-S Dual Diameter (bore rider) bullet sizer 249.00
 DDS-1-SC Dual Diam. pellet swage w/bleed holes 318.00

Type -S Jacket Maker Dies

JMK-1-S Jacket Making Kit, from .030" strip 3450.00
 ET-2-S Jacket trim die, adjustable length 249.00
 BGK-1-S Base Guard kit, use .03" copper strip 239.00
 GCM-1-S Gas Check kit, use .03" copper strip 429.00
 C2J-1-S Cartridge to Jacket Converter w/cs punch .. 249.00
 DCD-1-S Disk cutter die (metal or fiber) 218.00

Type -S Tubing Jacket Makers

CTJM-1-S Tubing Jacket-maker, Corbin tubing \$749.00
 CTJM-2-S Tubing Jacket-maker, client's tubing 1198.00
 CTER-1-S Tube end rounding die and punch 249.00

Type -S Bullet Draw Dies

BRD-1-S Bullet Reducing Die, FB 179.00
 BRD-1-SC Bullet Reducing Die, boattail or RBT 219.00



Hydro-Press, Mega-Mite and -H Dies

-H Presses

CHP-1	Corbin Hydro-press™, 115v 60 Hz.	\$8950.00
CSP-2	Mega-Mite Press (hand press)	1398.00

Options and Spare Parts for CSP-2

CSP-S	Floor stand for CSP-1 or CSP-2 press	\$498.00
CSP-2KO	Knock-out bars, set of 4, for CSP-2	40.00
CSP-2RPIN	Ram to toggle pin, replacement	10.00
CSP-2SH	Roller Side-Bar Handle (std. w/press)	98.00
CSP-2LH	Long handle for heavy duty swaging	98.00
CSP-2C	Handle retainer clip assembly	19.50
CSP-2R	Retraction pin, 1/4-inch OD	5.00

Options for CHP-1 or CSP-2

FPH-1-H	Spare standard Punch Holder	\$129.00
FPH-2-H	Positive Stop Punch Holder	249.00
FPH-QC-H	Quick-Change Punch Holder	249.00
LOCKR-H	Lock ring, 1.5-12	16.50
APA-2-H	Arbor Press Anvils for head, ram	169.00
RLA-1-H	Reloading adapter kit, (parts below)	147.00
	RLA-EX Ram Extension for reloading	49.00
	RLA-B Bushing, 1-1/2 to 7/8-14 (head)	49.00
	RLA-H Shell Holder Adapter (ram)	49.00
CHP-B2	Adapter bushing, 1.5-12 to 1.25-12	129.00
CHP-S2H	5/8-24 punch to 1-12 ram adapter	49.00
FPH-S2H	5/8-24 punch to FPH-1-H adapter	49.00
ET-2KIT	Adapters, ET-2-S to -H press	149.00
CHP-EXT	Extender kit, add 3 inches to height	129.00
CHP-T	Catcher Tray, primers or extrusions	18.50

Options & Spare Parts for CHP-1

A-220V	205-250v 50/60 Hz power option	\$498.00
CHF-128	Corbin Hydraulic Fluid, 128 oz	29.00
CHP-IL1	CHP Indicator assembly (1 of 3)	12.00
CHP-RLY	CHP Logic relay (1of 6)	39.00
CHP-TIME	CHP Timer Module (1)	129.00
CHP-PDX	CHP Sensor (1 of 3 proximity detectors)	189.00
CHP-SV	Solenoid Valve, direction control (1)	289.00
CHP-PIN	Retraction pin for internal punch	5.00
CHP-KO	Knock-out bar, hardened	10.00
CHP-RAM	Hard chromed ram w/instructions	298.00
CHP-B2	Head bushing, 1.5-12 to 1.25-12	160.00
CHP-HP	Press head plate, 1.5-12 standard	150.00
CHP-HPC	Press head plate, custom thread	298.00

Round Ball Swage

BSK-1-H	Muzzle-loader round ball kit, complete	829.00
BSK-1-HD	Ball Die only (no pre-form die)	580.00

Special Purpose Dies

FX-1-H	Bullet fixing set for cal's 224 and up	\$829.00
DCD-1-H	Disk Cutter Die, copper disks or wads	339.00
SGS-3-H	Finned Shotgun Slug swage set	1950.00

Jacket Serrator Dies

SDD-1-H	Jacket Serrator Die, full length	359.00
SDD-2-H	Ogive Serrator Set, adjustable length	608.00

-H Swage Dies

CSW-1-H	Core Swage Die and Punch	\$ 249.00
CS-1-H	Core Seating Die and Punch.	249.00
PF-1-H	Point Forming Die (standard)	318.00
PF-1-HL	Point Forming Die w/lead tip sync punch ...	388.00
PF-1-HT	Tip Seater/Point Forming Die	508.00
PF-1-HB	Point Form/Weight Adj. (bleed) combo	558.00
PF-1-HP	HB-HP pellet or muzzle loader w/bleed	558.00
PF-1-HC	Custom Point Forming Die	678.00
LT-1-H	Lead Tip Forming Die and Punch	249.00
LT-1-HC	Jacket tip reducer/lead tip die set	319.00
RBT-2-H	Rebated Boattail Add-on Set	636.00
LSWC-1-H	Lead SWC bullets, any base style	249.00
JSWC-2-H	Jacketed or lead SWC bullets	498.00
FJFB-3-H	Flat base open tip	816.00
LTFB-4-H	Flat base lead tip or open tip	1065.00
RBTO-4-H	RBT open tip	1203.00
RBTO-4HT	Tip insert high BC 4-die set	1273.00
RBTL-5-H	RBT open tip or lead tip	1452.00
FRBO-5-H	RBT or flat base, open tip	1452.00
FRBL-6-H	RBT or flat base, open or lead tip	1701.00

-H Punches

PUNCH-H	Standard Punch (stock design)	50.00
PUNCH-HT	Tip seat PF, T1 or T2, ULD or PinPoint	50.00
PUNCH-HC	Custom Punch (min.) non-stock designs	149.00
PUNCH-HA	Adjustable punch, .375 and less	179.00
PUNCH-HL	Adjustable punch, over .375 cal	249.00
PUNCH-HF	Long core seating funnel punch	149.00
PUNCH-HX	Cruciform X-punch, core seat external	149.00
PUNCH-HS	Saber Tooth core seat internal	249.00
EJECT-H	Ejection wires, pk/5 (specify diam)	10.00

Draw Dies, Guides, Punches & Strippers

DDS-1-H	Dual Diameter bullet sizer	\$359.00
JRD-1-H	Jacket Reducing Die, diameter only	198.00
JRD-1-HP	Punch for JRD-1-H	50.00
JRD-2-H	Jacket Reducing Die, deep draw	645.00
JRD-2-HK	Punch, guide sleeve, stripper (specify)	398.00
JRD-2-HP	Punch only, specify size	189.00
JRD-2-HD	Die body only, JRD-2-H	198.00
JSP-H	Jacket stripper plate, specify size	25.00
JSP-P	Jacket stripper support pin, each (need 2).	2.50
BRD-1-H	Bullet Reducing Die	198.00

Jacket Maker Kits & Trimmers

CTJM-1-H	Tubing Jacket-maker , Corbin tubing	\$898.00
CTJM-2-H	Tubing Jacket-maker, client tubing	1298.00
CTER-1-H	Tubing End-Round die with punch	318.00
JMK-1-H	Manual-feed Strip Jacket Maker Kit	3950.00
JMK-2-H	Auto-feed Strip Jacket Maker Kit	5950.00
JMK-P-H	Penny to 30 cal jacket maker kit	3450.00
CSU-1	Corbin Strip Uncoiler, up to 150-lb coil	2450.00
ET-2-H	Auto-ejecting jacket trim die	364.00
ET-2KIT	Adapter, ET-2-S to -H press, incl. above	98.00
ET-2-HC	Jacket trim die, special sizes	429.00

Specialty Jacket Makers, -H type

GCM-1-H	Gas Check Maker, .03-in X 1-in strip	528.00
RFJM-22H	Rimfire Jacket Maker, 22 LR to 224	277.00
RFJM-6MH	Rimfire Jacket Maker, 22 LR to 243	277.00
C2J-1-H	Pistol case to jacket conversion kit	277.00
BGK-1-H	Base Guard Maker, .03-in x 1-in strip	339.00

50 BMG Reloading

50-BMG	Reloading die set, 1-1/2 x 12 threads	\$350.00
SH-50	50 BMG Shell Holder, 7/8-14 threads	69.50
PT-50-H	50 BMG Priming tool for CSP-2, CHP-1	198.50
CBP-50	50 BMG Bullet Puller	69.50

Books, Printed Materials

BP-7	Multi-media library (books, cd-rom, dvd)	\$69.50
BSM	Bullet Swage Manual, T.Smith	12.50
TB-1	Technical Bulletins, Vol. I	12.50
TB-3	Technical Bulletins, Vol. III	12.50
TB-4	Power Swaging	24.50
WD-1	World Directory of Custom Bullet Makers	24.50
TIII	Turning Ideas Into Income, 224-pg	12.95
MIP	Bullet Marketing Information Package	4.00

Instant Calculators on CD-ROM or USB memory

DC-1001	Spitzer bullet design, BC calculation	\$25.00
DC-1003	Paper-patch bullet designer	10.00
DC-1004	Air resistance plotter	25.00
DC-TWIST	Rifling twist rate calculator	10.00
DC-1015	Bullet Engineer's Kit (above 4 plus HB-9e) .	72.00
DC-DIES	Die pressure and press design	10.00
DC-LEAD	Powder metals, lead wire extrusion	10.00
DC-SALES	Bullet makers' cost and pricing	10.00

E-Books & Images on CD-ROM or USB memory

HB-9-E	Handbook of Swaging, No.9	\$9.50
WD-1-E	World Directory of Custom Bullet Makers	9.50
TB-2-E	Technical Bulletins, Volume II	9.50
TB-4-E	Power Swaging e-Book	9.50
DC-TIII	E-book, custom bullet business	9.50
DC-JPG-1	Bullet Photos, royalty free for your ads	9.50
DC-JPG-2	Animal, scenery photos for your website	9.50
USB-1	All e-books and software above on USB	95.00



Custom Bullet Maker's Cap

CAP-1	Cotton six-panel cap with adjustable closure, embroidered logo	13.50
-------	--	-------

On-line Resources...

Free on-line instruction, pricing and tutorials:
www.Corbins.com

Free literature, flyers, operating guides, e-books:
www.Swage.com

Order on-line with Visa/MC or PayPal,
www.SwageDies.com



Manufacturing & Supply, Inc.

PO Box 2659 (600 Industrial Circle)

White City, Oregon 97503 USA

Phone: (541)-826-5211 Mon-Thurs. 10am-6pm

FAX: (541)-826-8669 "always on"

E-mail: sales@corbins.com

Website: <http://www.corbins.com>



Name:		
Firm:		
Address:		
City:		
State/Prov:		Postal Code:
Country:	Phone:	
VISA/MasterCard/Discover/AmEx card	Exp.Date	CCV
<input type="text"/>	<input type="text"/>	<input type="text"/>

Item	Qty.	Price
TOTAL for all items:		
Shipping/handling:		
TOTAL ENCLOSED:		

Payment may be made by bank card, bank transfer (add \$35 for export preparation fees), money order, or check.

Corbin products are hand made. Wait until items are in your possession before making commitments requiring their use. Delivery cannot be guaranteed within a specific time period or by a specified date. Under no circumstances is Corbin liable for any contingent or potential loss based upon timely delivery. Custom items require prepayment to start. All prices, shipping and handling estimates are subject to change without notice. Returns and cancellations subject to 15% restocking/testing/repackaging and/or completed labor fee. Bank card payments may have 4% processing fee added.